T	T	NOTE: THIS SERVICE CHECK IS BEST TO BE PERFORMED BY A TRADESPERSON	Document Date: 1/7/19. Every year, check for new service document updates at
		Eg: Mechanic, engineer, builder, etc	www.pilatesequip.com/instructions
Period	3	If you don't understand an instruction, please contact Pilatesequip™ for a clarification	Document number: WUNDA 01072019
er.	8		Daily
9	Checke	WUNDA CHAIR/COMBO CHAIRS (use for Pilatesequip™ equipment only)	Weekl
Service	ě		Monthl
ě	۶۱۱۶	Wooden Pedals Chairs Version	Quarteri How to fix
C	1	Check pedal hinges are not damaged	Contact Pilatesequip™ with photos
7	1	Check pedal hinges screws are tight	Tighten
γ	-	Check all 4x eyebolts on the Pedals are tight	Tighten
I ⁿ I	-	On the side panels, check the 6x eyebolts are tight	Tighten
2	_	· · · · · · · · · · · · · · · · · · ·	
Q		Check Pedal Rubber Cover are not worn	Replace rubber cover or the whole pad
		Metal Pedals Chairs Version	1
0		Check Pedals for any damage to the welding. Look around the joint between the square arm	Contact Pilatesequip™ with photos
ľ		tube of the pedal connects to the Round Pivot Tube	The state of the s
Q		Check Pedal Covers are not worn	Replace covers
М		Check all eyenuts on the Pedal are tight	Tighten
Q		Check black collars are tight and are also assisting in squeezing the Pedal Round Pivot Tube's	Tighten while squeezing the Pedal Round Pivots together tight
		together. There should be no movement if you try to move the Pedals side-to-side, along the axle.	
Q		Check the Spring Slides located on the Tracks isn't damaged	Replace
0	_	Check the Spring Slides on the Tracks, slides up and down smoothly	Apply a small amount of dry silicone spray
	_	· · · · · · ·	Pr / · · · · · · · · · · · · · · · · · ·
		Frame	
D	1	Clean all vinyl upholstery daily, as a minimum. Use a mixture of water and some ordinary mild	See equipment instructions
		"Sunlight Pure Soap", cut into little flakes and placed in a spray bottle. Clean with a towel, cloth	
		or paper towel. NOTE: Don't use other products such as chemicals, bleach, tea tree or	
		eucalyptus oils, alcohol wipes or methylated spirits, or detergents- as they deteriorate vinyl. Human sweat also causes vinyl deterioration. The vinyl has an antibacterial coating and doesn't	
		need harsh cleaners.	
0	-	Check Seat upholstery for damage	Recover - Call local upholsterer
7	1	Check all screws and bolts are tight	Tighten
0	-	Check timber frame structure has no cracks	Contact Pilatesequip™ with photos
_		check diffed frame strategic has no drake	ontact i natesequip — man proces
		Springs	
W	/	Check all springs by slightly stretching the spring from the spring's loop at the end of the spring,	If any springs show these issues, replace spring
		until the coils just start to open. If a small section of the spring barrel separates while the rest	
		of the coils remain close, the spring is faulty. Also look for obvious bends/kinks in the spring's	
	_	barrel. Make sure that spring's loops haven't travelled up the spring's coned coils	
W		Check all spring clip arms are closing properly	Replace Parises
Q		Check age of springs. It's recommended to replace springs that are older than 8 years	Replace springs
		Adjustable Side Handles on Combo Chairs	1
Q		Check that the Adjustment Indexing Pin retracts back into the holes and that it also turns to the	Replace Adjustment Indexing Pin
٧		lock	The process of the control of the co
o		Check that the Adjustment Indexing Pin turns to the lock position	Replace Adjustment Indexing Pin
Q		1 2 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	